

CONSUMABLES


RESPIRATORY

www.sibelmed.com

Sibelmed®

bacterial/viral filter

- Disposable bacterial/viral filter for adults and children
- 99,99% bacterial/viral filtration efficiency
- Stable, sturdy and affordable
- Completely sealed, avoiding being affected by external factors
- Suitable for adults and children, thanks to its oval and ergonomic design
- Compatible with several pulmonary function diagnostic devices
- Low airflow resistance
- Reduces risk of cross-contamination
- Individual packaging
- Reduces costs while it do not need an additional mouthpiece



Bacterial efficiency	30 l/min 99.99999%	750 l/min 99.9943%
Viral efficiency	30 l/min 99.9981%	750 l/min 99.7680%
Resistance (at 14 l/s)	<1,45 hPa / l/s (1,5 cmH2O / l/s)	
Dead space	<50 ml	
Filtration method	Electrostatic and Mechanical	
Membrane material	Polypropylene	
Weight	40 g	
Mouthpiece	Integrated mouthpiece, no need of additional mouthpiece	
Mouthpiece surface	Ergonomic design adapted to the patient mouth	

CERTIFIED:
Class IIa in accordance with Directive 93/42/EEC



disposable transducer with filter

- Accurate & reliable
- Integrated bacterial/viral filter, with an efficiency of 99.99%
- Protection to the technician and the patient
- Reduces risk of cross-contamination
- Low airflow resistance
- For adults and children
- Individual packaging

Bacterial efficiency	30 l/min 99.99999%	750 l/min 99.9943%
Virus efficiency	30 l/min 99.9981%	750 l/min 99.7680%
Resistance (to 14 l/s)	<1,45 hPa / l/s (1,5 cmH2O / l/s)	
Dead space	<75 ml	
Filtration method	Electrostatic and Mechanical	
Membrane material	Polypropylene	
Dimensiones	146,9 x 91,5 mm	
Weight	52 g	
Mouthpiece	Integrated mouthpiece, no need of additional mouthpiece	
Mouthpiece surface	Ergonomic design adapted to the patient mouth	

CERTIFIED:
Class IIa in accordance with Directive 93/42/EEC




Sibelmed®

disposable transducer

- Accurate & reliable
- Without risk of cross contamination
- Without filters nor mouthpieces
- Ergonomic design
- For adult and pediatric use
- Economic

Measuring range	Flow from 0 to ± 16l/s. Volume from 0 to 10L
Dinamic resitance	<1,5 cmH2O at 14 l/s (ATS)
Dimensions	135x40x30 mm
Weight	20g. (aprox.)



CERTIFIED:
Class IIa in accordance with Directive 93/42/EEC

nose clip

- Disposable
- Allows a correct spirometry, avoiding the patient to loose air through the nostrils



CERTIFIED:
Class I according to Medical Devices Regulation (EU) 2017/745

paper

- Thermal paper for spirometers



Sibelmed®

references

BACTERIAL/VIRAL DISPOSABLE FILTER



09698	28mm box 100ud.	DATOSPIR-SIBELMED, NITRIC OXIDE METER EVERNOA
09699	30mm box 100ud.	VITALOGRAPH, MIR, COSMED, MICROMEDICAL (VIASYS), NSPIRE, ZAN
09700	34,5mm box 100ud.	JAEGER, MICROMEDICAL (VIASYS), SENSORMEDICS

DISPOSABLE TRANSDUCER WITH FILTER



09718	box 100ud.	LILLY DISPOSABLE TRANSDUCER DATOSPIR 120, DATOSPIR 110, DATOSPIR 600, DATOSPIR TOUCH, DATOSPIR AIRA

DISPOSABLE TRANSDUCER



03169	Bag 50ud.	LILLY DISPOSABLE TRANSDUCER DATOSPIR 120, DATOSPIR 110, DATOSPIR 600, DATOSPIR TOUCH, DATOSPIR AIRA

DISPOSABLE NOSE CLIP

02692	Bag 5ud.	PLASTIC NOSE CLIP
09661	Bag 100ud.	PLASTIC NOSE CLIP

THERMAL PAPER



02634	110mmx25m (5 rolls)	DATOSPIR TOUCH, DATOSPIR 120 C/D, DATOSPIR 110 C

consumable other areas

ENT

- Ear funnel
- Audiometric Graph
- Nostril cone rhinomanometry
- Nasal adhesive rhinomanometry



Sleep Diagnosis

- Sleep sensors:

Respiratory flow, Pressure transducers, Respiratory effort, Snore, Limb movement, Pulse oximeter, Electrodes, Inductive bands.



SIBEL SAU, Raimon Casellas, 6-8. 08205-Sabadell (Barcelona). Spain.
National Sales: Tel. +34 93 436 00 08 e-mail: comercial@sibelmed.com
International Sales: Tel.+34 93 436 00 07 e-mail: export@sibelmed.com
Technic. service: +34 93 433 54 50 e-mail: sat@sibelmed.com
www.sibelmed.com

EN ISO9001:2015

SIBEL,S.A.U. reserves the right to modify the technical specificactions without prior notice.

FG SIB1201_EN - Consumible espirometría - V.2.0 - 10/2024